
PRINTABLE INFO SHEET

Series: Grandville LE Ranch

Model: GHE614A Grandville Ultra 4





About This Model

Style: Ranch / Bedrooms: 3 / Bathrooms: 3 / Square Feet: 2069

CHST	OMER	(:())	Δ(: Ι	Notes.	
0001	OIVILII	OUITI	no i		

Commodore Homes | 1423 Lincolnway East Goshen, IN 46526 | 574-533-7100 | www.commodorehomes.com

PRINTABLE INFO SHEET

Series: Grandville LE Ranch

Model: GHE614A Grandville Ultra 4



Standards & Features

Interior

Smooth Drywall Throughout

Stipple Ceiling

Flat Ceiling with 8'0" Sidewall

Coveless Ceiling Joints

Brushed Nickel Langford 3-Arm Dining

Room Light

Alabaster Glass Pendant Nook Light

Glass Light Shades Throughout

Mortise Door Hinges

Metal Interior Passage Sets

Floor Mount Door Stops

Smoke Detectors with Battery Back-Up

Wire Shelving in Guest Closet

Brushed Nickel Interior Package

Includes: Door Handles, Hinges,

Huntington Brass Metal Faucets and

Cabinet Hardware

Exterior

Patina Lantern Light at Front Door

Patina Square Light at Rear Door

One GFI-Protected Exterior Receptacle

Vinyl Dutch Lap Siding with Larger

Starter Strip to Cover Sill Plate

O.S.B. Sheathing Under Siding

Fixed Roof with Shingles and 10" Eaves

Ridgevent Roof Ventilation System

3/0x6/8 6-Panel Fiberglass Front and Rear

Door with Deadbolt Lock

Vinyl Insulated Low-E Windows

12" Raised Panel Shutt ers on Front Door Side

Construction

Floor System on 16" Centers

with ¾" OSB Decking**"

2x6 Floor Joist on 28 Wide Models

2x8 Floor Joist on 32 Wide Models

2x6 Exterior Walls on 16" Centers**

2x4 Interior Walls

30# Roof Load

Recessed Frame Design without

Perimeter Blocking

Kitchen

GE 30" Standard Gas Free Standing Range

with Electronic Ignition

Power Range Hood with Light

GE 18 Cubic Foot, No-Frost Refrigerator

with Icemaker

Stainless Steel Double Bowl Sink (33x22x8)

Tight Mesh Shelving in Pantry

One USB Recept

Baths

60" One-Piece Fiberglass Tub/Showers

One-Piece Fiberglass Shower with

Glass Door in Glamour Baths

Fiberglass Soaker Tub in Glamour Baths

Anti-Scald Valves on Showers & Dry Tubs

1.6 Gallon Per Flush Elongated Toilets

China Stool, Tank, and Lid

China Sinks with Overfl ows and Pop-Up Drains

Lighted Vent Fan in Each Bath

Factory Framed Mirrors - All Baths

CUSTOMER CONTACT	Notes:

Commodore Homes | 1423 Lincolnway East Goshen, IN 46526 | 574-533-7100 | www.commodorehomes.com

PRINTABLE INFO SHEET

Series: Grandville LE Ranch

Model: GHE614A Grandville Ultra 4



Standards & Features (continued)

CabinetryEvermore Custom Cabinetry (KCMA Certifi ed) Hardwood Oak Mission Flat Panel Cabinet Doors

Crown Moulding on Overhead Cabinets

Contemporary Cabinet Hardware

30" Height Overhead Cabinets

4" Staggered Overhead Cabinets

Lined Overhead Cabinets

Adjustable Shelves in Overhead Cabinets

Dovetail Drawer Construction

Full Extension 75# Drawers Guides

Base and Center Shelf in Base Cabinets

Wilson Art Laminate Countertops with

Laminate Edging

4" Wilson Art Laminate Backsplash

33" High Vanities

Base Shelf in Vanities

100 AMP Electrical Service

Copper Wiring Throughout

Auto Ignition Gas Furnace

- Woodgrain Furnace Door
- Aluminum Heat Ducts
- Air Exchanger System for Furnace
- In-Floor Cross over Heating System

Air Conditioning Thermostat with 5-Wires

40 Gallon Electric Water Heater with Pan

Main Water Line Shut-Off Valve

Water Shut-Off Valves - Where Accessible

Plumb and Wire for Washer

Wire and Vent for Dryer

Utilities (continued)

One Exterior Water Faucet

Insulation

R-11 Fiberglass Insulation in Floor R-19 Fiberglass Insulation in Walls

R-38 Avg. Blown Insulation in Ceiling

FlooringChoice of Various Styles of SHAW Carpet with ShawGuard Carpet Protector

- 3 Styles: Mantra, Standout or It's Cozy
- Choice of Several Standard color options and numerous optional colors
- Standard Carpets are all 16 and 18 oz

Rebond Carpet Pad with Tackstrip Carpet Installation

Congoleum No-Wax Vinvl Floor Coverings

Congoleum Entry Foyer Vinyl Flooring

Bedrooms

Ceiling Lights

Egress Window Each Bedroom

Wire Shelving in Wardrobes

Switched Light in All Walk-In Closets

Energy Efficient Standards Include: Low-E Vinyl Insulated Windows

Fiberglass Exterior Doors

R-11 Fiberglass Insulation in Floor

R-19 Fiberglass Insulation in Walls

R-38 Avg. Blown Insulation in Ceilin

CUSTOMER CONTACT	Notes: